618



City of Port Moody Report/Recommendation to Council

Date: September 12, 2023

Submitted by: Community Development Department – Policy Planning Division Subject: Zoning Bylaw Housekeeping Amendments – September 2023

Purpose

To present a housekeeping amendment bylaw for City of Port Moody Zoning Bylaw, 2018, No. 2937 for Council consideration.

Recommended Resolution(s)

THAT City of Port Moody Zoning Bylaw, 2018, No. 2937, Amendment Bylaw No. 74, 2023, No. 3376 (Housekeeping) be read a first and second time as recommended in the report dated September 12, 2023, from the Community Development Department – Policy Planning Division regarding Zoning Bylaw Housekeeping Amendments – September 2023;

AND THAT Bylaw No. 3376 be referred to a Public Hearing.

Background

City of Port Moody Zoning Bylaw, 2018, No. 2937 was adopted on July 10, 2018. This Zoning Bylaw covers the entirety of the City and regulates, among other matters, the use and development of lands, buildings, and structures. Staff generally prepare a housekeeping amendment bylaw on an annual basis to address errors or omissions, improve language clarity, and address changes to procedures or industry practices.

Discussion

Zoning Bylaws are wide-ranging and include hundreds of pages of regulations that have intricate relations in their application to development proposals. Through the practical use of the Zoning Bylaw, staff have identified several areas where minor amendments are necessary to ensure the Zoning Bylaw's effectiveness and clarity of intention.

City of Port Moody Zoning Bylaw, 2018, No. 2937, Amendment Bylaw No. 74, 2023, No. 3376 (Housekeeping) (**Attachment 1**) provides for the following housekeeping amendments:

1

610

General

Replace all instances of m2 with m²

Rationale: Replacing all instances of the abbreviation for 'metre squared' from m2 to m² will improve the clarity and readability of the Zoning Bylaw.

- Remove the following duplicate zones from the Zoning Bylaw:
 - Section 176 Comprehensive Development Zone (CD 72)
 - Section 177 Comprehensive Development Zone (CD 71)
 - Section 179 Comprehensive Development Zone (CD 73)

Rationale: To remove duplicate CD Zones from the Zoning Bylaw.

Section 3.1 – Zone Designation

• Insert the following rows in the correct alphanumeric position, in the table in section 3.1.1:

CD25	Comprehensive Development Zone 25
CD57	Comprehensive Development Zone 57
CD74	Comprehensive Development Zone 74
CD75	Comprehensive Development Zone 75
CD76	Comprehensive Development Zone 76
CD77	Comprehensive Development Zone 77
CD78	Comprehensive Development Zone 78
CD82	Comprehensive Development Zone 82
CD83	Comprehensive Development Zone 83
CD85	Comprehensive Development Zone 85
CD86	Comprehensive Development Zone 86
CD87	Comprehensive Development Zone 87
CD88	Comprehensive Development Zone 88

Rationale: To update the table in section 3.1.1 of the Zoning Bylaw to more accurately reflect the Comprehensive Development Zones that form part of the Zoning Bylaw.

Section 4.0 – Zone Designation

• Replace the existing definition of 'HEIGHT' with:

""HEIGHT" means the vertical distance from the Grade adjoining a Building or Structure to the highest point of the roof deck of a flat roof or the highest point of any affixed structures or features not exempted under Section 5.3.3 Height Exceptions, to the deck line of a mansard roof, and the mean level between the eaves and the ridge of a gable, hip, gambrel, or other sloped roof, and to the highest point of a Structure other than a Building. Refer to RS1 and RS1-S for zone specific Height definitions."

620

Rationale: To include a limit to the number and size of an exempted feature on a roof top. Roof top floor areas are becoming more frequent in residential architecture; however, the permitted size and number are not currently clearly defined. Features like roof top access landings (doghouse), sun shelters, cupolas, pergolas, privacy screens, multiple flue chimneys in a chase, air handlers, swim spas, and hot tubs, etc. could present a visual distraction or block views in a residential zone. The new definition also references the provisions in RS1 and RS1-S zones for consistency.

• Replace the existing definition of 'TOWNHOUSE' with:

""TOWNHOUSE" means a Multi-Residential use in a Building used for three or more Dwelling Units separated from one another by party walls, where the units are side-by-side or stacked on top of each other, with each dwelling unit having a separate, direct entrance at ground level."

Rationale: To expand the existing definition to include permission for stacked townhouse forms, and to provide clearer language regarding the ground level entrance requirements for each townhouse unit.

Section 5.0 - Use in All Zones

Renumber section to 5.1

Rationale: Incorrect numbering.

Section 5.1 – Specific Use and Conditions

• Renumber to section 5.2

Rationale: Incorrect numbering.

Section 5.2.5 - Bed and Breakfast

Delete "or Secondary Suite" under (d)

Rationale: This section update was missed in a previous Zoning Bylaw housekeeping amendment. This change allows for a Secondary Suite and a Bed and Breakfast to operate on the same lot.

Section 5.2.6 - Boarding Use

Delete "or Secondary Suite" under (c)

Rationale: This section update was missed in a previous Zoning Bylaw housekeeping amendment. This change allows for a Secondary Suite and a Boarding use to operate on the same lot.

621

Section 5.2.7 - Secondary Suites

- Delete (a)
- Renumber list

Rationale: This section update was missed in a previous Zoning Bylaw housekeeping amendment. This change removes the restriction prohibiting a Secondary Suite from operating on the same lot as a Bed and Breakfast, Boarding use or Child Care.

Section 5.2.8 - Child Care Use

• Delete "or a secondary suite" under (a) (ii)

Rationale: This section update was missed in a previous Zoning Bylaw housekeeping amendment. This change removes the restriction prohibiting a Secondary Suite from operating on the same lot as Child Care.

Section 5.2.11 - Landscaping Walls and Retaining Walls

• Delete (d) and replace with:

"for multiple Retaining Walls, the total required setback to an interior side or rear lot line is measured from the closest retaining wall and shall be equal to the sum of the height of multiple retaining walls within side or rear yards;"

Rationale: To improve visual appearance and reduce the impact of retaining walls on adjacent properties, the total height of multiple retaining walls would be treated as the height of a single retaining wall when calculating the required setback.

Section 5.2.15 - Mechanical Equipment

Replace the existing paragraph with:

"For all Single-Detached and Semi-Detached Residential zones, mechanical equipment located outside of a Building, including but not limited to heat pumps, air conditioners, and pool pumps, shall have a minimum setback of 1.8 metres from all Interior Lot lines."

Rationale: The Zoning Bylaw currently restricts the placement of heat pumps to the rear yard which eliminates the option to install heat pumps in some instances. Permitting heat pumps in the front, rear and possibly side yards removes the restriction on their placement and encourages the installation of low carbon energy systems consistent with the City's climate action goals and targets. The minimum setback distance of 1.8 metres intends to balance the desire for heat pump installation with potential noise impacts on neighbouring properties.

Section 5.2 - Area, Height, and Siting Regulations

• Renumber section 5.3

Rationale: Incorrect numbering.

622

Section 5.3.2 – Siting Exceptions

 add to (b) a new section (iv): "Accessory Buildings under 10m² and used as a garbage enclosure may be sited in the front yard."

Rationale: To allow for a storage structure to secure garbage/recycle containers to be consistent with section 8.1 c) of City of Port Moody Solid Waste Bylaw, 2016, No. 3058.

Section 5.3.3 - Height Exceptions

- Delete (b) (iii) and replace with: "chimneys and flues to the extent required by the BC Building Code; and"
- Add (b) (iv): "guards required by the BC Building Code to a maximum height of 1.2m."

Rationale: To include a limit to the number and size of an exempted feature on a roof top. Roof top floor areas are becoming more frequent in residential architecture; however, the size and number are currently not clearly defined. Features like roof top access landings (doghouse), sun shelters, cupolas, pergolas, privacy screens, multiple flue chimneys in a chase, air handlers, swim spas and hot tubs etc. could present a visual distraction or block views in a residential zone.

Section 5.3.4 - Floor Area Exemptions

- Replace (a) (iii) with: "exclude the total Floor Area of a Basement where the total volume of the Basement is 60% or more below Grade;"
- Replace the third bullet under (a) (v) with: "exterior wall thickness in excess of 0.165m,
 up to a maximum exclusion of 0.305m, provided that wall thicknesses are used
 exclusively for the provision of insulating materials and/or protection against wind, water,
 and vapour;"
- Replace (a) (ix) with: "exclude the equipment, access and servicing area floor area
 portion of a mechanical room containing a Green Building System, up to a maximum of
 9.29m² for each building, provided that the system be located in an accessible location
 within the building, having a minimum headroom clearance of 2.0m."
- Replace the third bullet under (b) (iii) with: "exterior wall thickness in excess of 0.165m, up to a maximum exclusion of 0.305m, provided that wall thicknesses are used exclusively for the provision of insulating materials and/or protection against wind, water, and vapour;"
- Revise wording for (b) (viii) to read "exclude Green Building Systems, as follows:"
- Replace second bullet under (b) (viii) with: "exclude the equipment, access and servicing
 Floor Area portion of a mechanical room containing a Green Building System, up to a
 maximum of 9.29m² for each Building, provided that the system be located in an
 accessible location within the Building, having a minimum headroom clearance of 2.0m;
 and"

Rationales:

To provide a clearer definition of when basements are excluded from Floor Area Ratio calculations in the Single and Semi-Detached Residential zones.

To update the parameters around the provision of floor area exemptions for thicker walls arising from more efficient buildings. Expanding the definition to include other measures

623

beyond insulation intends to mitigate the potential loss of livable/saleable floor area from thicker wall assemblies arising from high performing buildings.

To clarify the size of the portion of the floor area to be exempted from the Floor Area Ratio calculation as being the size of the equipment plus the size of the area to access and service the equipment.

Section 5.3 – Streamside Protection

- Renumber to 5.4
- Capitalize the defined terms "Daylighted Streams", "Development", "Landscaping", "Riparian Area Restorative and Enhancement Works", and "Setback" throughout section 5.4.

Rationales: Incorrect numbering. Capitalizing section specific definitions adheres to the standard practice of capitalizing defined terms that is applied throughout the Zoning Bylaw.

Section 5.4.1 – Definitions

• Replace the existing, section specific definition of "Stream" with:

""Stream" means:

- (a) a watercourse or body of water, whether or not usually containing water, and
- (b) any of the following that is connected by surface flow to a watercourse or body of water referred to in (a):
 - (i) a ditch, whether or not usually containing water;
 - (ii) a spring, whether or not usually containing water;
 - (iii) a wetland."

Rationale: To align the Zoning Bylaw definition with the Official Community Plan and Provincial definitions.

• Replace the existing, section specific definition of "Watercourse" with:

""Watercourse" means a flowing waterbody, including those with flows that may be ephemeral, intermittent, temporary or seasonal in nature that is connected to a downstream waterbody, either naturally or artificially, including via a storm sewer pipe. Class A, B or C Watercourses are described in accordance with the City's OCP."

Rationale: To align the Zoning Bylaw definition with the Official Community Plan and Provincial definitions.

624

Section 5.4.5 - Minimum Riparian Management Setbacks

• Replace the wording in the 'All Shores' section of the table in 5.4.5 to:

All Shores	All Watersheds	Unlisted Class A Watercourse in accordance with the City's OCP	15.0	5.0
		Unlisted Class B Watercourse in accordance with the City's OCP	10.0	5.0
		Class C Watercourses	≥5	0

Rationale: To align with the Official Community Plan definitions and recommendations from the Moody Centre Stormwater Management Servicing Plan.

Section 5.4 – Detached Accessory Dwelling Units

• Renumber to 5.5

Rationale: Incorrect numbering.

Section 5.5.2 - Detached Accessory Dwelling Units

 Add the following sentence at the end of the paragraph: "Secondary access from a Collector Road is subject to Engineering department approval."

Rationale: To allow for the possibility of access to a Detached Accessory Dwelling Unit from a collector road for lots with front and rear lot lines abutting a collector road, subject to Engineering department approval.

Section 5.5.4 – Detached Accessory Dwelling Units

- Delete (a)
- Delete (b) and replace with: "6.71m measured from Grade to the highest point of the roof structure, parapet or guard; and"
- Renumber list

Rationale: To clarify the overall height maximum for Detached Accessory Dwelling Units and remove reference to the number of storeys.

Section 6.6.2 – Parking Dimensions, Layout, and Manoeuvring Aisles

- Delete section and replace with:
 - (a) "For parking within a single garage or double garage, or within a garage designed to accommodate Tandem Parking, the width and length of the Parking Space, required in accordance with the minimum standards, shall be measured from the inside of the finished wall to the inside of the opposite finished wall of the garage, and the Parking Space, along its entire width and length, shall be clear of any protrusions or encroachments by any structural and non-structural elements; and

625

(b) In RS and RT zones, parking spaces provided for the use of Secondary Suites and Detached Accessory Dwelling Units may not be in a Tandem Parking configuration."

Section 6.6.6 - Parking Dimensions, Layout, and Manoeuvering Aisles

· Delete section and replace with:

"Notwithstanding section 6.6.1, where a Parking Space or manoeuvering aisle abuts a wall or a fence, including walls of a garage or carport, along its side greater than 0.3m in height, the space or aisle shall be 0.3m wider than otherwise required in this Bylaw. In the case where a wall or a fence exists on either side of a single parking space, the space shall be 0.6m wider than otherwise required in this Bylaw."

Rationale: To clarify that parking spaces adjacent to walls and/or fences of a garage, carport, etc. are required to be 0.3m wider on the abutting side to facilitate appropriately sized parking spaces.

Section 8.4.3 – Development Regulations

• Delete b) (i) and replace with:

"Principal Building – the lesser of 3 Storeys and the vertical distance from Grade to the highest point of the Building which shall be 10.5m for roofs with a pitch of 3:12 or greater, and 9.0m for roofs with a pitch less than 3:12 and with parapets less than 0.6m in height"

Rationale: To clarify where the height of a flat roof is measured to and to limit parapet height so as not to provide the appearance of a taller building or parapets acting as guards or privacy screens.

Section 8.4.6 – Conditions of Use

Delete (a) and replace with:

"Height for the Principal Use means the vertical distance from the Grade to the highest point of the roof deck of a flat roof or to the highest point of any affixed structures or features not exempted under Section 5.3.3 Height Exceptions; to the deck line of a mansard roof; and to the highest point of a gable, hip, gambrel or other sloped roof."

Rationale: To include a limit to the number and size of an exempted feature on a roof top. Roof top floor areas are becoming more frequent in residential architecture; however, the size or number are not clearly defined. Features like roof top access landings (doghouse), sun shelters. cupolas, pergolas, privacy screens, multiple flue chimneys in chase, air handlers, swim spas and hot tubs etc. could present a visual distraction or block a view in a residential zone.

626

Delete (b) and replace with:

"Grade for the Principal Use means the average of the existing elevations taken at each corner of the Lot as established by survey prepared and certified by a British Columbia Surveyor, except, when a property has an area where a Building may not be constructed as established through a no-build covenant or development permit covenant under Section 219 of the *Land Title Act*, or a Statutory Right of Way, the elevations for the purpose of establishing Grade shall be taken at the intersections of the defined no-build covenant, development permit covenant or Statutory Right of Way, and the property lot lines. Where a lot grading plan has been approved by the City, the elevations at the corners of the property, or intersections of the defined no-build covenant, development permit covenant or Statutory Right of Way and the property lines, shall be used to determine Grade. Where a corner cut has been made to a property, one elevation shall be used for determining Grade in that location by averaging two new corners."

Rationale: To clarify that the calculation of grade is taken from the corners of the useable areas of the property.

Section 8.5.3 – Development Regulations

• Delete b) (i) and replace with:

"Principal Building – the lesser of 3 Storeys and the vertical distance from Grade to the highest point of the Building which shall be 10.5m for roofs with a pitch of 3:12 or greater, and 9.0m for roofs with a pitch less than 3:12 and with parapets less than 0.6m in height".

Rationale: To clarify where the height of a flat roof is measured to and to limit parapet height so as not to provide the appearance of a taller building or parapets acting as guards or privacy screens.

Section 8.5.5 – Parking

- Add (b): "Notwithstanding section 8.5.5 (a), one (1) parking space per principal Dwelling Unit is required;
- Renumber list

Rationale: To reduce the number of required parking spaces for the Principal Dwelling unit in the RS1-S zone from two (2) parking spaces to one (1) parking space. This reduction in the required parking for the principal Dwelling Unit is intended to address a challenge that can be experienced with the development of RS1-S lots. Specifically, when a Secondary Suite and/or Detached Accessory Dwelling Unit is also being proposed as part of the RS1-S development, the constrained nature of RS1-S lots may not allow for the number of parking spaces required to accommodate these secondary uses. While there are other factors and constraints, a reduction in the parking spaces required for the principal Dwelling Unit may provide greater flexibility and a less challenging environment for the inclusion of additional Dwelling Units and/or secondary uses on RS1-S sites.

627

Section 8.5.6 - Conditions of Use

Delete (a) and replace with:

"Height for the Principal Use means the vertical distance from the Grade to the highest point of the roof deck of a flat roof or to the highest point of any affixed structures or features not exempted under Section 5.3.3 Height Exceptions; to the deck line of a mansard roof; and to the highest point of a gable, hip, gambrel or other sloped roof."

Rationale: To include a limit to the number and size of an exempted feature on a roof top. Roof top floor areas are becoming more frequent in residential architecture; however, the size or number are not clearly defined. Features like roof top access landings (doghouse), sun shelters. cupolas, pergolas, privacy screens, multiple flue chimneys in chase, air handlers, swim spas and hot tubs etc. could present a visual distraction or block a view in a residential zone.

Delete (b) and replace with:

"Grade for the Principal Use means the average of the existing elevations taken at each corner of the Lot as established by survey prepared and certified by a British Columbia Surveyor, except, when a property has an area where a Building may not be constructed as established through a no-build covenant or development permit covenant under Section 219 of the *Land Title Act*, or a Statutory Right of Way, the elevations for the purpose of establishing Grade shall be taken at the intersections of the defined no-build covenant, development permit covenant or Statutory Right of Way and the property lot lines. Where a lot grading plan has been approved by the City, the elevations at the corners of the property, or intersections of the defined no-build covenant, development permit covenant or Statutory Right of Way and the property lines, shall be used to determine Grade. Where a corner cut has been made to a property, one elevation shall be used for determining Grade in that location by averaging two new corners."

Rationale: To clarify that the calculation of grade is taken from the corners of the useable areas of the property.

Section 8.7.6 – Conditions of Use

Delete (a) (i) and replace with:

"have a maximum permitted Floor Area Ratio and maximum permitted Lot Coverage calculated with the size of Lot identified on the survey plan of the property registered with the Land Title Office, as of July 1, 1994;"

Delete (a) (iii) and replace with:

"have a building setback from the High Water Mark of 3.0m without any further siting exceptions from 5.3.2;"

628

Rationales: To provide clarification that it is the Lot size, as identified on the historical survey, that will be used to calculate a site's maximum permitted Floor Area Ratio and maximum permitted Lot Coverage.

To provide clarification that no further siting exceptions as listed in section 5.3.2 are applicable with respect to this zone's Rear Yard Setback.

Section 10.3.2 (c) - Site Specific

• Delete Legal description under (v) and replace with:

"Plan RP70815, District Lot 201, New West District Parcel A, PID 002-870-355 (for 2816 St. Johns Street – Kiaro)"

Rationale: The current legal description is incorrect.

Section 12.1.2 - Permitted Use

- Under (a.) Principal Use:
 - o Add (viii) Child Care

Rationale: To permit Child Care in the M1 zone. Including Child Care as a permitted Principal Use in the M1 zone provides further opportunity for potential Child Care spaces in Port Moody.

Section 12.1.6 – Conditions of Use

- Under (e):
 - Section (i) delete "and be physically on the same Lot"
 - Section (ii) delete entire section
 - Section (iii) delete "including public property"
 - o Renumber sections

Rationale: To allow for the potential leasing of City boulevard area for restaurant/brewery patios.

Section 102.2 - Permitted Use

Add (4) Secondary Suite

Rationale: This change is consistent with Secondary Suite provisions in other duplex zones.

Section 104.2 - Permitted Use

• Delete (4) One Secondary Suite

Rationale: To correct an error made in a previous housekeeping update.

Section 181 Comprehensive Development Zone 74 (CD 74)

 Delete the section header for Section 181. Comprehensive Development Zone 74 (CD74) and replace with:

"Comprehensive Development Zone 78 (CD78)"

620

Rationale: The current section heading is incorrect, and an update will make it consistent with the remainder of the zone's provisions.

Future Changes

Staff will continue to monitor the Zoning Bylaw for any additional changes that are warranted for clarification or to respond to new policies.

Other Option(s)

- 1. THAT City of Port Moody Zoning Bylaw, 2018, No. 2937, Amendment Bylaw No. 74, 2023, No. 3376 (Housekeeping) be amended as follows:
- 2. THAT the report dated September 12, 2023, from the Community Development Department Policy Planning Division regarding Zoning Bylaw Housekeeping Amendments September 2023 be received for information.

Financial Implications

There are no financial implications associated with the proposed amendments to City of Port Moody Zoning Bylaw, 2018, No. 2937.

Communications and Civic Engagement Initiatives

Should Council choose to refer Bylaw No. 3376 to a Public Hearing, notification will occur in accordance with notification requirements set out in the City's Development Approval Procedures Bylaw and the *Local Government Act*.

Council Strategic Plan Objectives

Maintaining the effectiveness of the City's Zoning Bylaw through the proposed amendments is consistent with the Sustainable Core Services priority of the 2023-2026 Council Strategic Plan.

Attachment(s)

1. Draft City of Port Moody Zoning Bylaw, 2018, No. 2937, Amendment Bylaw No. 74, 2023, No. 3376 (Housekeeping).

Report Author

Ellen Molloy, M.Pl Planning Technician

630

Report Approval Details

Document Title:	Zoning Bylaw Housekeeping Amendments - September 2023.docx
Attachments:	- Attachment 1 - Draft City of Port Moody Zoning Bylaw 2018 No. 2937 Amendment Bylaw No. 74 2023 No. 3376 (Housekeeping).pdf
Final Approval Date:	Aug 31, 2023

This report and all of its attachments were approved and signed as outlined below:

Mary De Paoli, Manager of Policy Planning - Aug 30, 2023 - 2:26 PM

Kate Zanon, General Manager of Community Development - Aug 31, 2023 - 11:17 AM

Tracey Takahashi, Deputy Corporate Officer, for Stephanie Lam, City Clerk and Manager of Legislative Services - Aug 31, 2023 - 12:29 PM

Lindsay Todd, Manager of Communications and Engagement - Aug 31, 2023 - 1:38 PM

Tyson Ganske, Manager of Financial Planning, for Paul Rockwood, General Manager of Finance and Technology - Aug 31, 2023 - 3:53 PM

Kate Zanon, General Manager of Community Development, for Tim Savoie, City Manager - Aug 31, 2023 - 8:30 PM

Attachment 1



City of Port Moody

Bylaw No. 3376

A Bylaw to make housekeeping amendments to City of Port Moody Zoning Bylaw, 2018, No. 2937.

The Council of the City of Port Moody enacts as follows:

1. Citation

1.1 This Bylaw may be cited as "City of Port Moody Zoning Bylaw, 2018, No. 2937, Amendment Bylaw No. 74, 2023, No. 3376 (Housekeeping)".

2. Amendments

- 2.1 City of Port Moody Zoning Bylaw, 2018, No. 2937 is amended by replacing all instances of "m2" with "m2".
- 2.2 Bylaw No. 2937 is further amended by deleting the entirety of the following duplicate sections:

"Section 176 Comprehensive Development Zone (CD 72)";

"Section 177 Comprehensive Development Zone (CD 71)"; and

"Section 179 Comprehensive Development Zone (CD 73).".

2.3 Bylaw No. 2937 is further amended by inserting the following rows in the correct alphanumeric position, in the table in section 3.1.1:

CD25	Comprehensive Development Zone 25
CD57	Comprehensive Development Zone 57
CD74	Comprehensive Development Zone 74
CD75	Comprehensive Development Zone 75
CD76	Comprehensive Development Zone 76
CD77	Comprehensive Development Zone 77
CD78	Comprehensive Development Zone 78
CD82	Comprehensive Development Zone 82
CD83	Comprehensive Development Zone 83
CD85	Comprehensive Development Zone 85
CD86	Comprehensive Development Zone 86
CD87	Comprehensive Development Zone 87
CD88	Comprehensive Development Zone 88

EDMS#588953

632

Attachment 1

2.4 Bylaw No. 2937 is further amended by replacing the following definition in section 4:

""HEIGHT" means the vertical distance from the Grade adjoining a Building or Structure to the highest point of the roof surface of a flat roof, to the Deck line of a mansard roof, and to the mean level between the eaves and the ridge of a gable, hip, gambrel, or other sloping roof, and to the highest point of a Structure other than a Building. Refer to RS1 and RS1-S for zone specific Height definitions."

with the following definition:

""HEIGHT" means the vertical distance from the Grade adjoining a Building or Structure to the highest point of the roof deck of a flat roof or the highest point of any affixed structures or features not exempted under section 5.3.3 Height Exceptions, to the deck line of a mansard roof, and the mean level between the eaves and the ridge of a gable, hip, gambrel, or other sloped roof, and to the highest point of a Structure other than a Building. Refer to RS1 and RS1-S for zone specific Height definitions."

2.5 Bylaw No. 2937 is further amended by replacing the following definition in section 4:

""TOWNHOUSE" means a Multi-Residential use in a Building used for three or more Dwelling Units separated from one another by party walls extending from foundation to roof, with each unit having a separate direct entrance from Grade."

with the following definition

""TOWNHOUSE" means a Multi-Residential use in a Building used for three or more Dwelling Units separated from one another by party walls, where the units are side-by-side or stacked on top of each other, with each dwelling unit having a separate, direct entrance at ground level."

2.6 Bylaw No. 2937 is further amended by replacing the following heading in section 5:

"5.0 Use in All Zones"

with the following heading:

"5.1 Use in All Zones".

2.7 Bylaw No. 2937 is further amended by replacing the following heading in section 5:

"5.1 Specific Use and Conditions"

with the following heading:

"5.2 Specific Use and Conditions".

633

Attachment 1

2.8 Bylaw No. 2937 is further amended by replacing the following section 5.2.5 (d):

"not be operated on a Lot where there is a Boarding use, Child Care use, Home Occupation – Type B, or Secondary Suite; and"

with the following section 5.2.5 (d):

"not be operated on a Lot where there is a Boarding use, Child Care use, Home Occupation – Type B; and".

2.9 Bylaw No. 2937 is further amended by replacing the following section 5.2.6 (c):

"not be operated on a Lot where there is a Bed and Breakfast, Child Care, Home Occupation – Type B, or Secondary Suite."

with the following section 5.2.6 (c):

"not be operated on a Lot where there is a Bed and Breakfast, Child Care, Home Occupation – Type B.".

2.10 Bylaw No. 2937 is further amended by replacing section 5.2.7 Secondary Suites in its entirety with the following:

"Where permitted in this Bylaw, a Secondary Suite shall:

- (a) be located within a building or a portion of a building where both dwelling units constitute a single real estate entity; and
- (b) provide Off-Street Parking in accordance with section 6.0 of this Bylaw.".
- 2.11 Bylaw No. 2937 is further amended by replacing the following section 5.2.8 (a) (ii):

"not be permitted on a Lot with a Bed and Breakfast, Boarding use, Home Occupation – Type B, or a Secondary Suite; and"

with the following section 5.2.8 (a) (ii):

"not be permitted on a Lot with a Bed and Breakfast, Boarding use, Home Occupation – Type B; and".

2.12 Bylaw No. 2937 is further amended by replacing the following section 5.2.11 (d):

"multiple Retaining Walls shall have a Setback ratio of not less than two horizontal to one vertical (2:1) in relation to each other;"

with the following section 5.2.11 (d):

"for multiple Retaining Walls, the total required setback to an interior side or rear lot line is measured from the closest retaining wall and shall be equal to the sum of the height of multiple retaining walls within side or rear yards;".

63/

Attachment 1

2.13 Bylaw No. 2937 is further amended by replacing section 5.2.15 Mechanical Equipment in its entirety with the following:

"For all Single-Detached and Semi-Detached Residential zones, mechanical equipment located outside of a Building, including but not limited to heat pumps, air conditioners, and pool pumps, shall have a minimum setback of 1.8 metres from all Interior Lot lines.".

2.14 Bylaw No. 2937 is further amended by replacing the following heading in section 5:

"5.2 Area, Height, and Siting Regulations"

with the following heading:

"5.3 Area, Height, and Siting Regulations".

2.15 Bylaw No. 2937 is further amended by replacing the following section 5.3.2 (b):

"The following siting exceptions shall apply in the RS and RT Zones:

- (i) where exterior cladding, Green Walls, pilasters, or belt courses project beyond the face of the principal Building, the minimum distance to an abutting Lot line as permitted elsewhere in this Bylaw may be reduced by 0.165m;
- (ii) where Decks, Porches, eaves, cornices, leaders, gutters, chimneys, stairs, canopies or Sunlight Control Projections project beyond the face of the principal building, the minimum distance to an abutting Lot Line as permitted elsewhere in this Bylaw may be reduced by:
 - 0.8 m closer to an abutting Interior Side Lot Line, to a maximum of 50% of the required Setback;
 - 1.5m closer to an abutting Exterior Side Lot Line, to a maximum of 50% of the required Setback; and
 - 1.8m closer to an abutting Front Lot Line or Rear Lot Line;
- (iii) a Solar Collector may project 1.0m beyond the face of the principal Building or Accessory Building."

with the following section 5.3.2 (b):

"The following siting exceptions shall apply in the RS and RT Zones:

- (i) where exterior cladding, Green Walls, pilasters, or belt courses project beyond the face of the principal Building, the minimum distance to an abutting Lot line as permitted elsewhere in this Bylaw may be reduced by 0.165m;
- (ii) where Decks, Porches, eaves, cornices, leaders, gutters, chimneys, stairs, canopies, or Sunlight Control Projections project beyond the face of the principal building, the minimum distance to an abutting Lot Line as permitted elsewhere in this Bylaw may be reduced by:
 - 0.8m closer to an abutting Interior Side Lot Line, to a maximum of 50% of the required Setback;

635

Attachment 1

- 1.5m closer to an abutting Exterior Side Lot Line, to a maximum of 50% of the required Setback; and
- 1.8m closer to an abutting Front Lot Line or Rear Lot Line;
- (iii) a Solar Collector may project 1.0m beyond the face of the principal Building or Accessory Building; and
- (iv) Accessory Buildings under 10m² and used as a garbage enclosure may be sited in the front yard.".
- 2.16 Bylaw No. 2937 is further amended by replacing the following section 5.3.3 (b):

"In the RS and RT Zones, the Heights of Buildings and Structures permitted elsewhere in this Bylaw may be exceeded for:

- (i) Solar Collectors to a maximum of 1.2m provided that the installation does not shade an existing Solar Collector. For existing roofs, the installation shall project a maximum of 1.2m above a flat roof and a maximum of 0.3m above a pitched roof;
- (ii) Green Roofs to a maximum of 0.5m provided the installation is limited to a depth of 0.5m; and
- (iii) chimneys to the extent required by the BC Building Code."

with the following section 5.3.3 (b):

"In the RS and RT Zones, the Heights of Buildings and Structures permitted elsewhere in this Bylaw may be exceeded for:

- (i) Solar Collectors to a maximum of 1.2m provided that the installation does not shade an existing Solar Collector. For existing roofs, the installation shall project a maximum of 1.2m above a flat roof and a maximum of 0.3m above a pitched roof;
- (ii) Green Roofs to a maximum of 0.5m provided the installation is limited to a depth of 0.5m;
- (iii) chimneys and flues to the extent required by the *BC Building Code*; and
- (iv) guards required by the *BC Building Code* to a maximum height of 1.2m.".
- 2.17 Bylaw No. 2937 is further amended by replacing the following section 5.3.4 (a) (iii):

"exclude the Floor Area of a Basement or portion thereof that is 60% or more below Grade:"

with the following section 5.3.4 (a) (iii):

"exclude the total floor area of a Basement where the total volume of the Basement is 60% or more below Grade;".

636

Attachment 1

2.18 Bylaw No. 2937 is further amended by replacing the following section 5.3.4 (a) (v):

"provided that the exterior weather protection wall system has been approved by a qualified professional, exclude either:

- Exterior cladding up to a maximum thickness of 0.165m;
- For exterior solid wall systems up to a maximum exclusion of 0.165m; or
- Exterior wall thickness in excess of 0.165m provided that wall thicknesses are used exclusively for the provision of insulating materials;"

with the following section 5.3.4 (a) (v):

"provided that the exterior weather protection wall system has been approved by a qualified professional, exclude either:

- Exterior cladding up to a maximum thickness of 0.165m;
- For exterior solid wall systems up to a maximum exclusion of 0.165m; or
- Exterior wall thickness in excess of 0.165m, up to a maximum exclusion of 0.305m, provided that wall thicknesses are used exclusively for the provision of insulating materials and/or protection against wind, water, and vapour;".
- 2.19 Bylaw No. 2937 is further amended by replacing the following section 5.3.4 (a) (ix):

"exclude any portion of a mechanical room containing a Green Building System, up to a maximum of 9.29m2 for each Building, provided that the system be located in an accessible location within the Building, having a minimum headroom clearance of 2.0m; and"

with the following section 5.3.4 (a) (ix):

"exclude the equipment, access, and servicing area floor area portion of a mechanical room containing a Green Building System, up to a maximum of 9.29m² for each building, provided that the system be located in an accessible location within the building, having a minimum headroom clearance of 2.0m;".

637

Attachment 1

2.20 Bylaw No. 2937 is further amended by replacing the following section 5.3.4 (b) (iii):

"provided that the exterior weather protection wall system has been approved by a professional Building envelope engineer, exclude either:

- Exterior cladding up to a maximum thickness of 0.165m;
- For exterior solid wall systems up to a maximum exclusion of 0.165m; or
- Exterior wall thickness in excess of 0.165m provided that wall thicknesses are used exclusively for the provision of insulating materials;"

with the following section 5.3.4 (b) (iii):

"provided that the exterior weather protection wall system has been approved by a professional Building envelope engineer, exclude either:

- Exterior cladding up to a maximum thickness of 0.165m;
- For exterior solid wall systems up to a maximum exclusion of 0.165m; or
- Exterior wall thickness in excess of 0.165m, up to a maximum exclusion of 0.305m, provided that wall thicknesses are used exclusively for the provision of insulating materials and/or protection against wind, water, and vapour;".
- 2.21 Bylaw No. 2937 is further amended by replacing the following section 5.3.4 (b) (viii) in its entirety with the following:

'exclude Green Building Systems, as follows:

- any portion of a floor containing an in-suite Heat Recovery
 Ventilator, up to a maximum of 1.39m² for each Dwelling Unit,
 provided that the system be located in an accessible location
 within each Dwelling Unit, having a minimum headroom clearance
 of 2.0m, and be designed and tested to meet the CSA Standard
 CAN/CSA-F326 and any amendments thereto;
- exclude the equipment, access and servicing area floor area portion of a mechanical room containing a Green Building System, up to a maximum of 9.29m² for each building, provided that the system be located in an accessible location within the building, having a minimum headroom clearance of 2m; and".
- 2.22 Bylaw No. 2937 is further amended by replacing the following heading in section 5:

"5.3 Streamside Protection"

with the following heading:

"5.4 Streamside Protection".

638

Attachment 1

2.23 Bylaw No. 2937 is further amended by capitalizing all instances of the following defined terms in section 5.4:

""Daylighted Streams", "Development", "Landscaping", "Riparian Area Restorative and Enhancement Works", and "Setback".".

2.24 Bylaw No. 2937 is further amended by replacing the following definition in section 5.4.1:

""Stream" is defined as any of the following:

- (a) a watercourse, whether it usually contains water or not;
- (b) a pond, lake, river, creek, or brook; or
- (c) a ditch, spring, or wetland that is connected by surface flow to something referred to in (a) or (b)."

with the following definition:

""Stream" means:

- (a) a watercourse or body of water, whether or not usually containing water, and
- (b) any of the following that is connected by surface flow to a watercourse or body of water referred to in (a):
 - (i) a ditch, whether or not usually containing water;
 - (ii) a spring, whether or not usually containing water;
 - (iii) a wetland".
- 2.25 Bylaw No. 2937 is further amended by replacing the following definition in section 5.4.1:

""Watercourse" means a flowing waterbody, including those with flows that may be ephemeral, intermittent, temporary or seasonal in nature that is connected to a downstream waterbody, either naturally or artificially, including via a storm sewer pipe."

with the following definition:

""Watercourse" means a flowing waterbody, including those with flows that may be ephemeral, intermittent, temporary, or seasonal in nature that is connected to a downstream waterbody, either naturally or artificially, including via a storm sewer pipe. Class A, B, or C Watercourses are described in accordance with the City's OCP".

639

Attachment 1

2.26 Bylaw No. 2937 is further amended by replacing the following section of the table in section 5.4.5:

All Shores	All Watersheds	Unlisted Streams Classification A in accordance with the City's OCP	15.0	5.0
		Unlisted Streams Classification B in	10.0	5.0
		accordance with the City's OCP		
		Ditches	≥5	0

with the following section:

All	All	Unlisted Class A	15.0	5.0
Shores	Watersheds	Watercourse in		
		accordance with the		
		City's OCP		
		Unlisted Class B	10.0	5.0
		Watercourse in		
		accordance with the		
		City's OCP		
		Class C	≥5	0
		Watercourses		

- 2.27 Bylaw No. 2937 is further amended by replacing the following heading in section 5:
 - "5.4 Detached Accessory Dwelling Units"

with the following heading:

- "5.5 Detached Accessory Dwelling Units".
- 2.28 Bylaw No. 2937 is further amended by replacing section 5.5.2 in its entirety with the following:
 - "A Detached Accessory Dwelling Unit is permitted only on lots with secondary access to the rear of the Lot via a Street or a Lane, except for Lots abutting Forest Park Way and North Road where a Detached Accessory Dwelling Unit is not permitted. Secondary access from a Collector Road is subject to Engineering department approval.".
- 2.29 Bylaw No. 2397 is further amended by replacing section 5.5.4 in its entirety with the following:

"The height of the Detached Accessory Dwelling Unit shall not exceed:

 a) 6.71m measured from Grade to the highest point of the roof structure, parapet, or guard; and

640

Attachment 1

- b) For the calculation of Height for Detached Accessory Dwelling Units, Grade means the average elevation of the point at which the foundation of a Building or Structure intersects ground, measured by averaging the existing Grades at the corners of the Building or Structure.".
- 2.30 Bylaw No. 2937 is further amended by replacing section 6.6.2 in its entirety with the following:
 - "(a) For parking within a single garage or double garage, or within a garage designed to accommodate Tandem Parking, the width and length of the Parking Space, required in accordance with the minimum standards, shall be measured from the inside of the finished wall to the inside of the opposite finished wall of the garage, and the Parking Space, along its entire width and length, shall be clear of any protrusions or encroachments by any structural and non-structural elements; and
 - (b) In RS and RT zones, parking spaces provided for the use of Secondary Suites and Detached Accessory Dwelling Units may not be in a Tandem Parking configuration.".
- 2.31 Bylaw No. 2937 is further amended by replacing section 6.6.6 in its entirety with the following:

"Notwithstanding section 6.6.1, where a Parking Space or manoeuvring aisle abuts a wall or a fence, including walls of a garage or carport, along its side greater than 0.3m in height, the space or aisle shall be 0.3m wider than otherwise required in this Bylaw. In the case where a wall or a fence exists on either side of a single parking space, the space shall be 0.6m wider than otherwise required by this Bylaw."

2.32 Bylaw No. 2937 is further amended by replacing the following section 8.4.3 b. i.:

"Principal Building – the lesser of 3 Storeys and the vertical distance from Grade to the highest point of the Building which shall be 10.5m for roofs with a pitch of 3:12 or greater, and 9.0m for roofs with a pitch less than 3:12"

with the following section 8.4.3 b. i.:

"Principal Building – the lesser of 3 Storeys and the vertical distance from Grade to the highest point of the Building, which shall be 10.5m for roofs with a pitch of 3:12 or greater, and 9.0m for roofs with a pitch less than 3:12 and with parapets less than 0.6m in height."

641

Attachment 1

2.33 Bylaw No. 2937 is further amended by replacing the following section 8.4.6 (a):

"Height for the Principal use means the vertical distance from Grade to the highest point of the roof surface of a flat roof; to the Deck line of a mansard roof; and to the highest point of a gable, hip, gambrel or other sloping roof."

with the following section 8.4.6 (a):

"Height for the Principal Use means the vertical distance from the Grade to the highest point of the roof deck of a flat roof or to the highest point of any affixed structures or features not exempted under section 5.3.3 Height Exceptions; to the deck line of a mansard roof; and to the highest point of a gable, hip, gambrel, or other sloped roof."

2.34 Bylaw No. 2937 is further amended by replacing the following section 8.4.6 (b):

"Grade for the Principal use means the average of the existing elevations taken at each corner of the Lot as established by survey prepared and certified by a British Columbia Land Surveyor, except, where as a result of a covenant under Section 219 of the Land Title Act or a setback pursuant to this bylaw, a building may not be built, the elevations for the purpose of establishing Grade shall be taken at the edge of the covenant or setback areas. Where a lot grading plan has been approved by the City, the elevations at the corners of the property as indicated on the lot grading plan shall be used to determine Grade. Where a corner cut has been made to a property, one elevation shall be used for determining Grade in that location by averaging the two new corners."

with the following section 8.4.6 (b):

"Grade for the Principal Use means the average of the existing elevations taken at each corner of the Lot as established by survey prepared and certified by a British Columbia Surveyor, except, when a property has an area where a Building may not be constructed as established through a no-build covenant or development permit covenant under section 219 of the Land Title Act, or a Statutory Right of Way, the elevations for the purpose of establishing Grade shall be taken at the intersections of the defined no-build covenant, development permit covenant or Statutory Right of Way and the property lot lines. Where a lot grading plan has been approved by the City, the elevations at the corners of the property, or intersections of the defined no-build covenant, development permit covenant or Statutory Right of Way and the property lines, shall be used to determine Grade. Where a corner cut has been made to a property, one elevation shall be used for determining Grade in that location by averaging two new corners."

642

Attachment 1

2.35 Bylaw No. 2937 is further amended by replacing the following section 8.5.3 b. i.:

"Principal Building – the lesser of 3 Storeys and the vertical distance from Grade to the highest point of the Building which shall be 10.5m for roofs with a pitch of 3:12 or greater, and 9.0m for roofs with a pitch less than 3:12"

with the following section 8.5.3 b. i.:

"Principal Building – the lesser of 3 Storeys and the vertical distance from Grade to the highest point of the Building which shall be 10.5m for roofs with a pitch of 3:12 or greater, and 9.0m for roofs with a pitch less than 3:12 and with parapets less than 0.6m in height."

- 2.36 Bylaw No. 2937 is further amended by replacing the following section 8.5.5 in its entirety with the following:
 - "(a) Refer to section 6.0 of this Bylaw for Off-Street Parking requirements;
 - (b) Notwithstanding section 8.5.5 (a), one (1) parking space per principal Dwelling Unit is required; and
 - (c) The maximum non-permeable area surfaced for driveway and Off-Street Parking in a Front Yard shall not exceed 50% of the area of the Front Yard.".
- 2.37 Bylaw No. 2937 is further amended by replacing the following section 8.5.6 (a):

"Height for the Principal Use means the vertical distance from Grade to the highest point of the roof surface of a flat roof; to the Deck line of a mansard roof; and to the highest point of a gable, hip, gambrel, or other sloping roof."

with the following section 8.5.6 (a):

"Height for the Principal Use means the vertical distance from the Grade to the highest point of the roof deck of a flat roof or to the highest point of any affixed structures or features not exempted under section 5.3.3 Height Exceptions; to the deck line of a mansard roof; and to the highest-level point of a gable, hip, gambrel, or other sloped roof."

2.38 Bylaw No. 2937 is further amended by replacing the following section 8.5.6 (b):

"Grade for the Principal Use means the average of the existing elevations taken at each corner of the Lot as established by survey prepared and certified by a British Columbia Land Surveyor, except, when a property has an area where a Building may not be constructed as established through a no-build covenant or development permit covenant, the elevations for the purpose of establishing Grade shall be taken at the edge of the covenant or environmental Setback. Where a lot grading plan has been approved by the City, the elevations at the corners of the

643

Attachment 1

property as indicated on the lot grading plan shall be used to determine Grade. Where a corner cut has been made to a property, one elevation shall be used for determining Grade in that location by averaging the two new corners."

with the following section 8.5.6 (b):

"Grade for the Principal Use means the average of the existing elevations taken at each corner of the Lot as established by survey prepared and certified by a British Columbia Surveyor, except, when a property has an area where a Building may not be constructed as established through a no-build covenant or development permit covenant under section 219 of the Land Title Act, or a Statutory Right of Way, the elevations for the purpose of establishing Grade shall be taken at the intersections of the defined no-build covenant, development permit covenant or Statutory Right of Way and the property lot lines. Where a lot grading plan has been approved by the City, the elevations at the corners of the property, or intersections of the defined no-build covenant, development permit covenant or Statutory Right of Way and the property lines, shall be used to determine Grade. Where a corner cut has been made to a property, one elevation shall be used for determining Grade in that location by averaging two new corners."

2.39 Bylaw No. 2937 is further amended by replacing the following section 8.7.6 (a) (i):

"have a maximum permitted Floor Area Ratio and maximum permitted Lot Coverage based on the survey plan of the property registered with the Land Title Office, as of July 1, 1994;" have a building setback from the High Water Mark of 3.0m without any further siting exceptions from 5.3.2;

with the following section 8.7.6 (a) (i):

"have a maximum permitted Floor Area Ratio and maximum permitted Lot Coverage calculated with the size of Lot identified on the survey plan of the property registered with the Land Title Office, as of July 1, 1994;".

2.40 Bylaw No. 2937 is further amended by replacing the following section 8.7.6 (a) (iii):

"have a Building Setback from the High Water Mark of 3.0m;"

with the following section 8.7.6 (a) (iii):

"have a Building Setback from the High Water Mark of 3.0m without any further siting exceptions from 5.3.2;".

644

Attachment 1

2.41 Bylaw No. 2937 is further amended by replacing the following section 10.3.2 (c) (v):

"One Cannabis Retail Use on the property legally described as:
Parcel "One", District Lot 201, Group 1, NWD, Reference Plan
LMP 15045 (for 2816 St. Johns Street – Kiaro)"

with the following section 10.3.2 (c) (v):

"One Cannabis Retail Use on the property legally described as:

Plan RP70815, District Lot 201, New West District Parcel A, PID 002-870-355 (for 2816 St. Johns Street – Kiaro)".

2.42 Bylaw No. 2937 is further amended by replacing section 12.1.2 (a) in its entirety with the following:

a. Principal Use	i. Animal Daycare
	ii. Commercial Athletic and
	Recreation
	iii. Laboratory
	iv. Light Industrial
	v. Recycling Return Centre
	vi. Trade School
	vii. Veterinary Clinic
	viii. Child Care

2.43 Bylaw No. 2937 is further amended by replacing section 12.1.6 (e) in its entirety with the following:

"For manufacturing businesses involving food and beverage products, an outdoor customer seating area will be allowed, in addition to the permitted Retail space, but may not exceed 100% of the total Floor Area otherwise permitted for Retail space, and shall be operated as follows:

- (i) the outdoor customer seating area must be Accessory to the premise's Retail use;
- (ii) the outdoor customer seating area must be physically separated from abutting property; and
- (iii) additional parking will not be required for an outdoor customer seating area.".
- 2.44 Bylaw No. 2937 is further amended by adding the following to section 102.2 Permitted Use:
 - "(4) Secondary Suite".
- 2.45 Bylaw No. 2937 is further amended by deleting the following section 104.2 Permitted Use:
 - "(4) One Secondary Suite".

645

Attachment 1

2.46 Bylaw No. 2937 is further amended by replacing section 181. Comprehensive Development Zone 74 (CD 74) in its entirety with the following:

"Comprehensive Development Zone 78 (CD 78)".

3.	Severa	hi	litv	/
Ο.	CCVCIG	\sim 1	,	,

3.1 If a portion of this Bylaw is found invalid by a court, it will be severed, and the remainder of the Bylaw will remain in effect.

Read a first time this day of, 2023.
Read a second time this day of, 2023.
Public Hearing held this day of, 2023.
Read a third time this day of, 2023.
Adopted this day of, 2023.
M. Lahti Mayor City Clerk
I hereby certify that the above is a true copy of Bylaw No. 3376 of the City of Port Moody. S. Lam City Clerk